


SHORT PLAT NO. 84/27, Book 1, page 305

Landscape Easement
A.F. #20028060

Access and Utility Easement 4




REVISIONS

NW CROSBY AVENUE

PLAT OF CHERRY HILL, DIV. 1
A PRD IN SECTION 34, TWP. 33 N., R. 1 E.W.M.
OAK HARBOR, WASHINGTON

DRAWN BY
R.P.F.

APPROVED BY




R.P. Fakema & Co.

P.O. BOX 121, OAK HARBOR, WA 98271 TEL & FAX (360) 875-7408

SCALE
1"=50'

DATE
6-18-01

DWG NO
94-05
SHEET NO
2 of 3



| | |
|---------|----------|
| SCALE | DWG. NO. |
| NOTED | 94-05 |
| DATE | SHEET NO |
| 6-18-01 | 3 of 33 |





ISLAND COUNTY AUDITOR

P

4002568

Page: 4 of 4

11/13/2001 01:32P

Bk-13 Pg-213

4057205

Page: 1 of 1

05/01/2003 02:14P

AFD

Fakkema & Kingma, Inc.
840 SE 8th Avenue, Suite 102
Oak Harbor, WA 98277

AFFIDAVIT OF CORRECTION OF PLAT OF CHERRY HILL, DIV. 2

Grantor: Fakkema, Robert P.

Grantee: The Public

Land Description:

Plat of CHERRY HILL, DIV. 2, Vol. 13 of Plats, pages 210, 211 and 212,
records of Island County.

Assessor's Property Tax Parcel No.'s: R13334-461-4830

This Affidavit of Correction is for the purpose of correcting a centerline distance shown on the Plat of CHERRY HILL, DIV. 2, according to the plat thereof recorded in Volume 13 of Plats, pages 210, 211 and 212, under Auditor's File No. 4002568, records of Island County, Washington. Said Plat shall be corrected as follows:

On sheet 2 of 3 (in the bottom left corner) of said Plat of CHERRY HILL, DIV. 2, the distance between the 2 Aluminum Surface Monuments on the centerline of Northwest Crosby Ave is shown as 38.00 feet; the correct distance is 36.00 feet

Robert P. Fakkema, P.L.S.
Certificate No. 8947

Gary R. Bourne, P.E.
Oak Harbor City Engineer